

Pioneer

Powerful Music Component System  
**HTP-RS7 / HTP-RS3**

轟  
轟  
轟  
TODOROKI





# The Sound

TODOROKI is the powerful music component system. What makes TODOROKI special is its outstanding sound clarity, all-black styling and is highly flexible when it comes to connectivity. All in all, Pioneer's TODOROKI is the ultimate music component system for your club.

# TODOROKI

- 160W x 5 + 200W subwoofer (RMS)
- Two 3-way front tallboy speakers, centre speaker, two satellite speakers, 30cm active subwoofer
- Auto MCACC with 5-band EQ
- HDMI Input & Output
- iPod® Digital Interface
- Portable audio player ready
- Advanced Sound Retriever
- Auto Level Control
- Phase Control



Powerful Music Component System

## HTP-RS7

### Three Big Beats For You

#### Bass Power: Lots of it!

TODOROKI's large 30cm active subwoofer delivers stronger, heavier bass.

#### High-Accuracy Sound Reproduction

The system's 3-way front tallboy speakers (16cm Cone x 2 + 7.7 cm Cone mid range x 1 + 2.6 cm Semi-dome Tweeter x 1) guarantee excellent sound detail, while its thrilling reproduction of heavy beats reminds you of the music in your favorite club.

#### Cool and Sleek Styling

With its no-nonsense, all-black "gear" design, TODOROKI looks at home in a club or wherever you like to rock.



### Ready to Exp

#### USB movie / music

TODOROKI system playback of DivX® & MPEG-4 AAC music.

	USB
DV-410V-K	●
DV-310-K	●
DV-210K-K	●

#### Ready for iPod®

TODOROKI accepts lossless digital inter and then operate i That's all you need \* iPod® is a trademark of



**轟轟**  
TODOROKI

#### What does TODOROKI mean ?

"Todoroki" is Japanese for a "roar" or "rumble". It's a word for describing the sound of rolling or a blast from a big cannon. It also symbolizes shaking sounds that this system is capable of. Listening to TODOROKI can be like listening to of waves on the beach.

\* Receivers and DVDs are not included.



# of Thunder

System for people who really want to feel their music.  
 Authority and power. And there's more: the system features cool,  
 when it comes to expanding the configuration.  
 TODOROKI will blow you away!

# TODOROKI



## Expand on Demand

**Music capability (with Pioneer DV-410V-K / DV-310-K DVD players)**  
 Systems can be connected to USB mass-storage devices for easy  
 playback of DivX® & WMV®\*\* video files, JPEG photo files and WMA / MP3 /  
 AAC music files. \*DV-410V-K Only

USB	DivX	WMV	WMA / MPEG4-AAC / MP3
●	●	●	●
●	●	●	●
●	●	●	●

## iPod® and other portable audio players (HTP-RS7 model)

Accepts inputs from iPods®\* and other USB devices through its  
 front USB interface. Just connect your device to the front USB terminal  
 and operate it using TODOROKI's remote control and on-screen display.  
 No need to do to get thundering, high-quality music straight from USB.  
 \*Apple Computer, Inc., registered in the U.S. and other countries.



- 160W x 5 + 200W subwoofer (RMS)
- Two 3-way front tallboy speakers, centre speaker, two satellite speakers, 30cm active subwoofer
- Portable audio player ready
- Advanced Sound Retriever
- Auto Level Control
- Phase Control

## Powerful Music Component System

# HTP-RS3



able."  
 ling thunder  
 olizes the earth-  
 e of delivering,  
 ng to the crashing

## Who is TODOROKI for ?

Do you love club and dance music with a heavy bass and lively  
 higher range sounds? Then TODOROKI was made for you.  
 Pioneer's receiver and speaker engineers tuned its sound  
 specifically for music fans. And they wanted to make a bold  
 statement, so they gave TODOROKI amazing performance  
 capabilities and a knockout appearance.



	HTP-RS7	HTP-RS3
<b>SPEAKER</b>		
	<b>S-RS7TB(Front SP)</b>	<b>S-RS3TB(Front SP)</b>
Unit	16 cm x 2, 7.7 cm x 1, 2.6 cm x 1	16 cm x 2 <sup>*1</sup> , 7.7 cm x 1, 2.6 cm x 1
Frequency Range	40-20,000 Hz	50-20,000 Hz
Impedance	8 Ω	8 Ω
Speaker terminal	Screw	Push
Dimensions (W x H x D)	225 x 1080 x 265 mm	215 x 980 x 265 mm
Weight	13.1 kg	10.2 kg
	<b>S-RS7TB &amp; S-RS3TB(Centre SP &amp; Surround SP)</b>	
Unit	Sub-cone featured 10 cm x 2 (Centre SP) / Sub-cone featured 10 cm x 1 (Surround SP)	
Frequency Range	60-20,000 Hz (Centre), 65-20,000 Hz (Surround)	
Impedance	8 Ω (Centre, Surround)	
Speaker terminal	Push	
Dimensions (W x H x D)	350 x 130 x 164 mm (Centre) / 180 x 130 x 164 mm (Surround)	
Weight	2.6 kg (Centre) / 1.3 kg (Surround)	
	<b>S-RS3SW(Active Subwoofer)</b>	
Maximum Power of Built-in Amplifier (RMS,100Hz 10% THD, 6 Ω)	200 W	
Unit Size	30 cm	
Frequency Range	27-1,000 Hz	
Preout for Additional Active Subwoofer	YES	
Power Requirements / Power Consumption	110-127 V voltage area:155 W, 220-240 V voltage area:184 W	
Dimensions (W x H x D)	360 x 437 x 455 mm	
Weight	15.2 kg	
<b>RECEIVER</b>	<b>VSX-818V-K</b>	<b>VSX-518-K</b>
<b>Power Output</b>		
Power Output Stereo (DIN, 1 kHz, 1.0 % THD, 8 Ω)	100 W + 100 W	100 W + 100 W
Rated Power Output Multi-ch (20 Hz -20 kHz, 0.06 % THD, 8 Ω)	95 W /ch x 5	95 W /ch x 5
Maximum Power (RMS,1 kHz 10% THD, 8 Ω)	160 W x 5	160 W x 5
Digital Core Engine	Freescale 180 MIPS Processing DSP	Freescale 180 MIPS Processing DSP
DAC	192 kHz / 24-bit	192 kHz / 24-bit
<b>DSP Features</b>		
Dolby Digital / Dolby Pro Logic II	• / •	• / •
DTS / DTS 96/24	• / •	• / •
WMA9 Pro	•	•
Phase Control	•	•
Automatic Optimal Surround Set-up	5 Band EQ (MCACC)	
Advanced Surround Modes	11 Modes + 1	11 Modes + 1
Front Stage Surround Advance	• (Focus, Wide)	• (Focus, Wide)
Virtual Surround Back	•	•
Advanced Sound Retriever	•	•
Dialogue Enhancement	•	•
Midnight Listening Mode	•	•
Loudness	•	•
Tone Control	•	•
<b>Other Features</b>		
Stream Direct	•	•
HDMI 1080p Transferring	•	•
iPod® Digital Audio <sup>*2</sup>	•	•
USB Host Function (for Audio Playback)	WMA / MPEG-4-AAC / MP3	
FM / AM Tuner Random Preset	30	30
<b>Terminals</b>		
HDMI Input / Output	2/1 (Switching)	
USB Input (for Memory Audio)	1	
Digital Input (Coaxial / Optical)	1 / 2	2 / 1
Analogue Multi-ch Input	DVD 5.1ch	DVD 5.1ch
Audio Input / Rec. Output	3 / 1	2 / 1
Audio Mini Jack Input	1	1
AV (Composite) Input / Rec. Output	4 / 1	3 / 1
Component Video Input	3	3
Monitor Video Output (toTV) (Component / Composite)	1 / 1	1 / 1
<b>Miscellaneous</b>		
Dimensions (W x H x D)	420 x 158 x 352.5 mm	420 x 158 x 352.5 mm
Weight	8.1 kg	7.9 kg
Power Requirements	110/120-127/220/230-240 V 50/60 Hz, 240V 50 Hz <sup>*3</sup>	110/120-127/220/230-240 V, 240V 50/60 Hz <sup>*3</sup>
Power Consumption(stand by)	290 W (0.5 W)	280 W (0.5 W)

<sup>\*1</sup>16 cm Cone SP + 16 cm Cone Passive radiator.  
<sup>\*2</sup>iPod® Supported Models 5th.gen./nano and above.  
<sup>\*3</sup>Subject to area.

Area	Africa, Mid East Area	South East Asia, Oceania	Africa, Mid East Area	South East Asia, Africa, Mid East Area
Optional DVD Player	DV-410V-K		DV-310-K	DV-210K-K
<b>Technical Features</b>				
Playback Discs	DVD/SVCD/VCD/CD/CD-R/RW/DVD-R/R DL/RW (Video Mode VR Mode W/CPRM)/DVD+R/+R DL/+RW (Video Mode)			
Dual System (PAL / NTSC)	•		•	•
<b>Compressed Video and Music Playback</b>				
WMV, HD JPEG	•		•	•
DivX®	•		•	•
JPEG PhotoViewer	•		•	•
MPEG-4 AAC	•		•	•
MP3	•		•	•
WMA	•		•	•
PHOTO + MUSIC MIX	•		•	•
<b>Audio Features</b>				
96 kHz / 24-bit D/A Converter	•		•	•
DTS 2-Channel Downmix Output	•		•	•
Virtual Surround	•		•	•
Digital Output (Dolby Digital, DTS(DVD), MPEG Audio, Linear PCM)	•		•	•
Sound EQ	•		•	•
Dialogue	•		•	•
Karaoke Mic Echo	•		•	•
Karaoke Digital Key Control	•		•	•
<b>Conveniences</b>				
OSD Languages	ENG/FRE/GER/ITA/SPA/RUS	ENG/FRE/SPA/CHI	ENG/FRE/GER/ITA/SPA/RUS	ENG/FRE/SPA/CHI/HINDI
Screensaver	•		•	•
Auto Power Off	•		•	•
<b>Terminals</b>				
HDMI Terminal	1 (to 1080p/60 Hz)			
USB Input (for Audio & Video)	1 <sup>*4</sup>		1 <sup>*5</sup>	
Mic Jack				2
SCART	1		1	
Video Output (Component / S-Video / Composite)	1 / 0 / 1	1 / 1 / 1	1 / 0 / 1	1 / 0 / 1
Audio Output	1		1	1
Digital Output (Coaxial / Optical)	1 / 0	1 / 1	1 / 0	1 / 0
<b>Specifications</b>				
Power Requirements	220-240 V 50/60 Hz	110-240 V 50/60 Hz	220-240 V 50/60 Hz	110-240 V 50/60 Hz
Power Consumption / Stand by	11 W / 0.8 W	11 W / 0.8 W	11 W / 0.7 W	7 W / 0.8 W
Dimensions (W x H x D)	420 x 49.5 x 215 mm	420 x 49.5 x 215.5 mm	420 x 49.5 x 215 mm	420 x 49.5 x 221 mm
Weight	1.7 kg	1.7 kg	1.7 kg	1.7 kg

<sup>\*4</sup> Only supports USB Mass Storage Class. Compatible with DivX/WMV/MPEG-4 AAC/WMA/MP3/JPEG.

<sup>\*5</sup> Only supports USB Mass Storage Class. Compatible with DivX/MPEG-4/AAC/WMA/MP3/JPEG.

Note: Not compatible with DRM (Digital Rights Management) contents. Not compatible with high-definition.

• Dolby and the double-D symbol are registered trademarks of Dolby Laboratories.

• DTS is a registered trademark & the DTS logos and Symbol are trademarks of DTS, Inc.

• HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.

• iPod is a trademark of Apple Computer, Inc., registered in the U.S. and other countries.

• Windows Media, and the Windows logo are trademarks, or registered trademarks, of Microsoft Corporation in the United States and/or other countries.

## Options

### S-RS3SW

Want more bass power? Two or more times as much? It's easy. Just connect an optional subwoofer to the main sub's preout terminal. Then daisy-chain more if you want to. You can have all the deep, pounding bass you've ever wanted!



### DV-210K-K

A slim multi-format DVD player featuring mic mixing with echo and digital key control for your home party (karaoke), JPEG Slideshow with Music, and DivX® playback.



## PIONEER CORPORATION

4-1, Meguro 1-chome, Meguro-ku, Tokyo 153-8654, Japan  
[www.pioneer.jp](http://www.pioneer.jp)

## PIONEER ELECTRONICS ASIACENTRE PTE. LTD.

(Co. Reg. No.: 199203130M)  
 253 Alexandra Road, #04-01, Singapore 159936  
 Service Hotline: (65)-6472-7555  
[www.pioneer.com.sg](http://www.pioneer.com.sg)

## PIONEER TECHNOLOGY (MALAYSIA) SDN. BHD.

16th Floor, Menara Uni. Asia, 1008 Jalan Sultan Ismail, 50250 Kuala Lumpur, Malaysia  
 Service Hotline: (60)-3-2697-2920  
[www.pioneer.com.my](http://www.pioneer.com.my)

Published by Pioneer Corporation. Copyright © 2008 Pioneer Corporation. All rights reserved. Note: Specifications and design subject to change without notice.  
 3118H 08 TODOROKI catalog (English) Printed in Japan

## PIONEER GULF FZE

Lob 11-017, Jebel Ali, Free Zone, P.O. Box 61226, Jebel Ali, Dubai, U.A.E.  
 Tel: (971)-4-8815756 Fax: (971)-4-8816414  
[www.pioneer-uae.com](http://www.pioneer-uae.com)

## PIONEER ELECTRONICS AUSTRALIA PTY. LTD.

ACN 005 017 087 (Incorporated in Victoria),  
 P.O. Box 295, Mordialloc, Victoria 3195, Australia  
 Free Call: 1800-988-268  
[www.pioneer.com.au](http://www.pioneer.com.au)